



## NITRILE GLOVES – LONG CUFF 280 MM NON-STERILE. POWDER FREE. LATEX FREE

### ADVANCED NITRILE PLUS

RFB *Advanced Nitrile Plus* are premium quality Nitrile gloves with long cuff for increased protection.

Designed to provide the comfort of Latex with the protection of Nitrile.

They contain no Natural Latex proteins and our unique low modulus formulation offers superior comfort and fit as well as excellent tactile sensitivity.

Ideal for applications requiring mid-forearm protection (such as in hospitals), especially when latex allergies are a concern.

#### Products Attributes

- Premium Nitrile for greater protection
- 280 mm length for extra protection
- Ambidextrous for use in either hand
- Polymer coated for ease of damp hand donning
- Beaded cuff design to prevent roll down
- CE Certified as per PPE CAT III
- EU Food Contact safe

#### Specifications

- Nitrile
- Long Cuff - 280 mm (WHO Specification)
- Powder Free
- Polymer coated
- Blue Colour

#### Ordering Information

Reference No.	Size
RN280 1165	S – 6.5
RN280 1170	M – 7.0
RN280 1175	L – 7.5



#### Packaging Configuration

**Non-Sterile** – 100 Pcs in a Box; 10 Boxes in 1 Master Carton (1000 Pieces)





## Technical Data Sheet

*Nitrile Gloves Long Cuff – 280 mm, Non-Sterile, Powder Free*

<b>Trade Name</b>	RFB - Nitrile Gloves Long Cuff – 280 mm		
<b>Product Conformance</b>	EN 455; CE PPE Directive 89/686/ EEC (EN 420, EN 374, EN 388) ASTM D6319-10; EC 1935/2004 for Food contact		
<b>Material</b>	Nitrile		
<b>Cuff Design</b>	Beaded		
<b>Colour</b>	Blue		
<b>Type</b>	Ambidextrous		
<b>Powder Content</b>	Powder Free		
<b>Product Specification</b>			
<b>Dimension</b>	<b>Size</b>	<b>Palm Width (mm)</b>	<b>Length (mm)</b>
	Small – 6.5	85±5mm	280
	Medium – 7.0	95±5mm	280
	Large – 7.5	105±5mm	280
<b>Thickness (Single Wall)</b>	Palm	0.10 mm	
<b>Physical Properties</b>	<b>Characteristics</b>	<b>Before ageing</b>	<b>After ageing</b>
	Tensile Strength (MPa)	14 min	14 min
	Ultimate Elongation (%)	500 min	400 min
<b>Quality Inspection</b> AQL 1.5	<b>Inspection Criteria</b>		<b>Sampling Plan / AQL</b>
	Dimension		S2- AQL 4.0
	Physical Properties		S2- AQL 4.0
	1000 ml Water Leak Test		G1-AQL 1.5
	Visual Inspection- Major		G1-AQL 2.5
Visual Inspection - Minor		G1-AQL 4.0	
<b>Packaging Configuration</b>			
<b>Non-Sterile Packing</b>	100 Pieces per Inner box; 10 Inner boxes per Master Carton (1000 Pieces)		



**RFB LATEX LIMITED**

78-80, Noida Special Economic Zone, Noida - 201305, India

Website: [www.rfblatex.com](http://www.rfblatex.com) Email: [rfblatex@rfblatex.com](mailto:rfblatex@rfblatex.com)